


## EI30-12.5 1.5VA Encapsulated Transformer

### FEATURES

- CQC file No.: CQC17001167224
- CE file No: BSTXD190311209301EC/BSTXD190311209301SC
- Vacuum Filling, Encapsulated Design Prevent dust and humidity
- High efficiency, Low Temperature Rise
- Dielectric Strength 4000VAC
- Class B ( $130^{\circ}$  C) insulation material.
- Operating temperature from  $-40^{\circ}$  C to  $70^{\circ}$  C
- Design according to EN61558-1, EN61000, GB19212-1, GB19212-7
- 100% Production Tested

### OUTLINE DIMENSIONS




### COMMON APPLICATIONS

- Medical equipment
- Industrial equipment
- Industrial control
- Test equipment
- Industrial computer
- Avionics and

Telecommunications

### SCHEMATIC DIAGRAM



## ELECTRONIC SPECIFICATIONS:

PART NO	Primary [V]	Secondary [V]	Current [mA]	Ambient TEMP.(°C)	Weight (g)	Certificate			
						VDE	UL	CQC	CE
XP301-680	115V 50/60Hz	4.5V	333mA	T70 B	83		•		•
XP301-681	115V 50/60Hz	6V	250mA	T70 B	83		•		•
XP301-682	115V 50/60Hz	7.5V	200mA	T70 B	83		•		•
XP301-683	115V 50/60Hz	9V	166mA	T70 B	83		•		•
XP301-684	115V 50/60Hz	12V	125mA	T70 B	83		•		•
XP301-685	115V 50/60Hz	15V	100mA	T70 B	83		•		•
XP301-686	115V 50/60Hz	18V	83mA	T70 B	83		•		•
XP301-687	115V 50/60Hz	24V	63mA	T70 B	83		•		•
XP302-688	115V 50/60Hz	2x4.5V	2x167mA	T70 B	83		•		•
XP302-689	115V 50/60Hz	2x6V	2x125mA	T70 B	83		•		•
XP302-690	115V 50/60Hz	2x7.5V	2x100mA	T70 B	83		•		•
XP302-691	115V 50/60Hz	2x9V	2x83mA	T70 B	83		•		•
XP302-692	115V 50/60Hz	2x12V	2x63mA	T70 B	83		•		•
XP302-693	115V 50/60Hz	2x15V	2x50mA	T70 B	83		•		•
XP302-694	115V 50/60Hz	2x18V	2x42mA	T70 B	83		•		•
XP302-695	115V 50/60Hz	2x24V	2x31mA	T70 B	83		•		•
XP301-580	230V 50/60Hz	4.5V	333mA	T70 B	83		•	•	•
XP301-581	230V 50/60Hz	6V	250mA	T70 B	83		•	•	•
XP301-582	230V 50/60Hz	7.5V	200mA	T70 B	83		•	•	•
XP301-583	230V 50/60Hz	9V	166mA	T70 B	83		•	•	•
XP301-584	230V 50/60Hz	12V	125mA	T70 B	83		•	•	•
XP301-585	230V 50/60Hz	15V	100mA	T70 B	83		•	•	•
XP301-586	230V 50/60Hz	18V	83mA	T70 B	83		•	•	•
XP301-587	230V 50/60Hz	24V	63mA	T70 B	83		•	•	•
XP302-588	230V 50/60Hz	2x4.5V	2x167mA	T70 B	83		•	•	•
XP302-589	230V 50/60Hz	2x6V	2x125mA	T70 B	83		•	•	•
XP302-590	230V 50/60Hz	2x7.5V	2x100mA	T70 B	83		•	•	•
XP302-591	230V 50/60Hz	2x9V	2x83mA	T70 B	83		•	•	•
XP302-592	230V 50/60Hz	2x12V	2x63mA	T70 B	83		•	•	•
XP302-593	230V 50/60Hz	2x15V	2x50mA	T70 B	83		•	•	•
XP302-594	230V 50/60Hz	2x18V	2x42mA	T70 B	83		•	•	•
XP302-595	230V 50/60Hz	2x24V	2x31mA	T70 B	83		•	•	•